


2000

Index for Volume 107

Copyright © Copyright 2000 by the Iowa Academy of Science, Inc.

Follow this and additional works at: <http://scholarworks.uni.edu/jias>

 Part of the [Anthropology Commons](#), [Life Sciences Commons](#), [Physical Sciences and Mathematics Commons](#), and the [Science and Mathematics Education Commons](#)

Recommended Citation

(2000) "Index for Volume 107," *The Journal of the Iowa Academy of Science: JIAS*: Vol. 107: No. 3-4 , Article 31.

Available at: <http://scholarworks.uni.edu/jias/vol107/iss3/31>

This Back Matter is brought to you for free and open access by UNI ScholarWorks. It has been accepted for inclusion in The Journal of the Iowa Academy of Science: JIAS by an authorized editor of UNI ScholarWorks. For more information, please contact scholarworks@uni.edu.

INDEX FOR JOURNAL OF THE IOWA ACADEMY OF SCIENCE
VOLUME 107

(NUMBERS 1 AND 2 ARE INDEXED SEPARATELY FROM NUMBERS 3 AND 4, INVESTIGATING AMPHIBIAN DECLINES: PROCEEDINGS OF THE 1998 MIDWEST DECLINING AMPHIBIAN CONFERENCE)

INDEX FOR VOLUME 107, NUMBERS 1 AND 2

- Abel, C.A., see Wilson, R.L.
 Algalic Slopes, 34-41
 Anderson, R.R. Review of Wayne Anderson *Iowa's Geologic Past: Three Billion Years of Change*, 21-22
 Anderson, T.K., Population Size Estimates for the Endangered Iowa Pleistocene Snail, *Discus macclintocki* Baker, 34-41
 Anderson, W., see Anderson, R.R.
Apis mellifera, 1-2
Avena sativa, 10-15; 42-45
 Bees
 Bumblebee, 1-2
 Honey bee, 1-2
 Hornfaced, 1-2
 Mason bee, 1-2
 Bernstein, N.P., The Status of the Blacknose Shiner (*Notropis heterolepis*) in Iowa: A Preliminary Survey: 16-20
 Blacknose Shiner, 16-20
Bombus bimaculatus, 1-2
Bombus impatiens, 1-2
 Bottom Slope, 25-33
 Brevik, E.C., Limits to Ice Thickness in Iowa During the Late Wisconsinan, 46-50
 Brothers, M.E., see Wilson, R.L.
 Buhler, D.D., see Wright, S.R.
 Checklist of Instructions for Authors, 51-53
 Christian, S., see Bernstein, N.P.
 Christiansen, P., Review of Sylvan T. Runkle and Dean M. Roosa *Wildflowers and Other Plants of Iowa's Wetlands*, 22
 Christiansen, P., see Weihe, P.
 Clover, berseem, 10-15; 42-45
 Corn, 3-9; 42-45
 Crop rotation, 10-15
 Cruse, R.M., see Harbur, M.M. (two papers) and also see Wright, S.R.
 Depth, 25-33
Discus macclintocki, 34-41
 Downing, J.A., see Straka, J.R.
 Drought, 16-20
 Evolution, *Statement of the Position of the Iowa Academy of Science on the Validity of Evolutionary Science and on the Status of Creationism as a Scientific Explanation of Natural Phenomenon*, 54
 Fetch, 25-33
 Getting, M., see Bernstein, N.P.
 Ghaffarzadeh, M., see Harbur, M.M. (two papers)
 Glacial History, 46-50
 Glycine max, 10-15; 42-45
 Habitat, 25-33
 Harbur, M.M., Higher Populations and Twin Row Configuration Does Not Benefit Strip Intercropped Corn: 3-9
 Harbur, M.M., Corn (*Zea mays*) Yield Response to Nitrogen Fertilizer in Conventional and Alternative Rotations, 42-45
Helianthus petiolaris, 1-2
 Iowa
 Endangered Species, 34-41
 Fish, 16-20
 Glacial history, 46-50
 Mussels, 25-33
 Pleistocene Snail, 34-41
 Reservoirs, 25-33
 Rivers, 16-20
 Snail, 34-41
 Iowa Pleistocene Snail, 34-41
 Kamp, T., see Bernstein, N.P.
 Kohler, K.A., see Wright, S.R.
 Lampsilis, 25-33
 Muller, M., see Weihe, P.
 Narrow Strip Intercropping, 10-15
 Nitrogen, 42-45
Notropis heterolepis, 10-15
 Oat, 10-15; 42-45
 Plant Density, 3-9
 Pollination, 1-2
 Population, 3-9
 Density, 25-33
 Estimation, 34-41
Potamilus, 25-33
Pygandon, 25-33
 Reservoir, 25-33
 Ridge-till, 10-15
 River Habitat, 16-20
 Roosa, D.M., 22
 Rotation, 42-45
 Row Configuration, 3-9
 Runkle, S.T., 22
 Seedbank, 10-15
 Siltation, 16-20
 Smith, R., see Bernstein, N.P.
 Snail, 34-41
 Soybean, 10-15; 42-45
 Spatial Distribution, 25-33
 Steele, J., see Bernstein, N.P.
 Steele, S., see Bernstein, N.P.
 Straka, J.R., Distribution and Abundance of Three Freshwater Mussel Species (Bivalva: Unionidae) Correlated With Physical Habitat Characteristics in an Iowa Reservoir, 25-33
 Strip Intercropping, 3-9; 10-15
 Substrate, 25-33
Trifolium alexandrinum, 10-15
 Twin Row, 3-9
 Unionidae, 25-33
 Weed Emergence, 10-15
 Weihe, P., Review of Paul Christiansen and Mark Muller *An Illustrated Guide to Iowa Prairie Plants*, 22
 Wilson, R.L., Comparing Species of Bees for Controlled Pollination of *Helianthus petiolaris* in Field Cages: 1-2
 Wright, S.R., Weed Seedbanks and Seedling Emergence in a Two and Three Crop Narrow Strip Intercropping/Rotation System: 10-15
Zea mays, 3-9; 10-15; 42-45

INDEX FOR VOLUME 107, NUMBERS 3 AND 4

INVESTIGATING AMPHIBIAN DECLINES: PROCEEDINGS OF THE 1998 MIDWEST DECLINING AMPHIBIAN CONFERENCE

Hinrich Kaiser, Gary S. Casper, and Neil P. Bernstein, editors

- Abnormalities,
 Converse, 160–167
 Developmental, 79–85
 Hoppe, 86–89
 Limb, 79–85
 Parasites, 79–85
 Sparling, 90–91
 Abate-4E, 90–91
 Abundance, 206–208
Acris crepitans, 92–95
 Activity, 146–150
 Age, 128–133
 Altosid, 90–91
 Ambystoma, 146–150
 Ammonia, 113–122
 Anura, 61–66, 72–79, 79–85, 86–89, 90–91, 92–95, 96–112, 160–167, 187–190
 Aquatic
 Contamination, 67–71
 Assemblages, 151–159
 Atrazine, 61–66
 Ball, J.C., A Winter/Spring Study of Salamanders in a Disturbed, Fragmented Habitat Surrounded By Farm Land, 175–181
 Barron, M.G., see Little, E.E.
 Behavioral ecology 146–160
 Bell, T., 168–174
 Bioindicator, 134–145
 Bowers, D., see Helgen, J.C.
 Brodman, R., Differences Among the Spatial Distribution of Sympatric Amphibians, 200–202
 Burkhardt, J.G., see Meteyer, C.U.
 Britson, C.A., Interactive Effects of Anthropogenic, Environment, and Biotic Stressors on Multiple Endpoints in *Hyla chrysocelis*, 61–66
 Brodman, R., see Jaskula, J.M.
 Calfee, R., see Little, E.E.
 Campa III, H., see Yaunches, G.
 Canfield, J.T., see 96–112
 Casper, G.S., Introduction: A Perspective on Midwest Amphibian Declines, 59–60
 Chirhart, J.W., see Helgen, J.C.
 Chlorpyrifos, 61–66
 Christiansen, J.L., A Relationship Between Trematode Metacercariae and Bullfrog Limb Abnormalities, 79–85
 Cleveland, L., see Little, E.E.
 Coexistence, 146–150
 Cole, R.A., see Meteyer, C.U.
 Constructed ponds, 151–159
 Contamination
 Aquatic, 67–71
 Converse, K.A., see Meteyer, C.U.
 Database, 123–127
 De-ditching, 187–190
 Demography, 128–133
 Density-dependent, 146–150
 Development
 Abnormalities, 79–85, 113–122, 123–127
 Disease, 212–216
 Distribution, 168–174, 200–202, 206–208
 Docherty, D.E., see Meteyer, C.U.
 Drift fences, 182–186
 Eaton-Poole, L., see Meteyer, C.U. also see Converse, C.A.
 Ecology
 Behavioral, 146–150
 Education, 209–211
 Ephemeral pools, 187–190
 Eroded berms, 187–190
 Erosion, 187–190
Eurycea cirrigera, 168–174
 Evrard, J.O., Amphibians and Reptiles Captured in Drift Fences in Northwest Wisconsin Pine Barrens, 182–186
 Fecundity, 128–133
 Feltman, H., see Christiansen, J.L.
 Fowle, S.C., see Johnson, D.H.
 Fragmentation, 175–181
 Frog, 160–167
 Breeding habitat, 187–190
 Bullfrog, 79–85
 Chorus, 187–190
 Crayfish, 128–133
 Cricket, 92–95
 Developmental abnormalities, 79–85
 Green, 113–122
 Landscape associations, 134–145
 Leopard, 86–89, 90–91, 209–211
 Spring peeper, 187–190
 Trematodes, 79–85
 Gernes, M.C., see Helgen, J.C.
 Gray, R.H., Morphological Abnormalities in Illinois Cricket Frogs, *Acris crepitans*, 1968–71, 92–95
 Habitat, 134–145, 168–174
 Microhabitat, 146–150
 Restoration, 187–190
 Haferman, J., see Helgen, J.C.
 Haufler, J.B., see Yaunches, G.
 Helgen, J.C., Field Investigations of Malformed Frogs in Minnesota 1993–97, 96–112, also see Meteyer, C.U.
 Hemesath, L.M., see Knutson, M.G.
 Hoffman, S.R., see Evrard, J.O.
 Hoppe, D.M., History of Minnesota Frog Abnormalities: Do Recent Findings Represent a New Phenomenon?, 86–89, also see Helgen, J.C.
 Howard, J.H., see Merovich, C.E.
Hyla chrysocelis, 61–66
 Illinois, 92–95, 168–174, 187–190
 Kaskaskia River drainage, 203–205
 Southern, 128–133
 Southwestern, 191–194
 Inventory, 168–174
 Jaskula, J.M., Density-Dependent Effects on Microhabitat Selection and Activity of Two Species of Larval Ambystoma Salamanders, 146–150
 Jofre, M.B., Effects of PCB 126 and Ammonia, Alone and in Combination, on Green Frog (*Rana clamitans*) and Leopard Frog (*R. pipiens*) Hatching Success, Development, and Metamorphosis, 113–122
 Johnson, D.H., The North American Reporting Center for Amphibian Malformations, 123–127
 Jundt, J.A., see Johnson, D.H.
 Karasov, W.H., see Jofre, M.B.
 Kernohan, B.J., see Yaunches, G.
 Kersten, S.M., see Helgen, J.C.
 Knutson, M.G., Landscape Associations of Frog and Toad Species in Iowa and Wisconsin, U.S.A., 134–145
 Landscape, 134–145
 Lannoo, M.J., Conclusions Drawn from the Malformity and Disease Session, 212–216, also see Knutson, M.G.
 Lerner, I., see Nyberg, D.
 Levey, R., see Meteyer, C.U.
 Linck, M.H., Reduction in Road Mortality in a Northern Leopard Frog Population, 209–211
 Little, E.E., Photo-enhanced Toxicity in Amphibians: Synergistic Interactions of Solar Ultraviolet Radiation and Aquatic Contaminants, 67–71
 Malformations 61–66, 72–78, 86–89, 90–91, 96–112, 113–122, 123–127, 160–167, 212–216
 Developmental, 79–85
 Environmentally-induced, 72–78
 Limb, 79–85
 Parasites, 79–85
 Matson, J., see Converse, K.A.
 Mauger, D., Distribution and Habitat of the Southern Two-lined Salamander, *Eurycea cirrigera*, in Will County, Il-

- linois: Implications for Population Management and Monitoring, 168–174
- McKinnel, R.G., see Helgen, J.C.
- Merovich, C.E., Amphibian Use of Constructed Ponds on Maryland's Eastern Shore, 151–159
- Metamorphosis, 61–66, 113–122
- Meteyer, C.U., 72–78
- Methyl mercury, 61–66
- Michigan, 195–199
- Microbiology, 72–78
- Microhabitat, 146–150
- Mierzwa, K.S., Wetland Mitigation and Amphibians: Preliminary Observations at a Southwestern Illinois Bottomland Hardwood Forest Restoration Site, 191–194
- Migration, 175–181
- Mitigation, 191–194
- Minnesota, 86–89, 96–112, 206–208
- Monitoring, 168–174, 195–199, 203–205, 206–208
- Mossman, M.J., see Knutson, M.G.
- National Park, 160–167
- National Wildlife Refuge, 160–167
- Nyberg, D., Revitalization of Ephemeral Pools as Frog Breeding Habitat in an Illinois Forest Preserve, 187–190
- Olsen, D.A., see 134–145
- Ovum size, 128–133
- PCB, 113–122
- Peters, E.L., 168–174
- Pond age, 151–159
- Pools
Ephemeral, 187–190
Population biology, 128–133
Public education, 209–211
Pseudacris crucifer, 187–190
triseriata 187–190
- Rana*
areolata, 128–133
catesbeiana, 79–85
pipiens, 72–78, 86–89, 90–91, 96–112, 113–122, 209–211
sphenocephala, 61–66
- Redmer, M., Demographic and Reproductive Characteristics of a Southern Illinois Population of the Crayfish Frog, *Rana areolata*, 128–133
- Reptile, 182–186, 203–205
- Road Mortality, 209–211
- Rosenshield, M.L., see Jofre, M.B.
- Salamander, 146–150, 175–181
Southern Two-lined, 168–174
- Sargent, L.G., Frog and Toad Population Monitoring in Michigan, 195–199
- Sauer, J.R., see Knutson, M.G.
- Skeletochronology, 128–133
- Skinker, R., see Little, E.E.
- Spatial distribution, 200–202
- Sparling, D.W., Effects of Altosid and Abate-4E on Deformities and Survival in Southern Leopard Frogs Under Semi-Natural Conditions, 90–91
- Survey, 160–167, 203–205
- Sympatry, 200–202
- Teratogenesis, 72–78
- Threlkeld, S.T., see Britson, S.T.
- Toad, 134–145, 160–167
- Toxicity
Interactive, 67–71
- Urodela, 146–150, 168–171, 175–181
Southern Two-lined, 168–171
- Ultraviolet radiation, 61–66, 67–71
- Volunteer, 209–211
Based surveys, 195–199
- Stewardship network, 187–190
- Wetland
Forested, 187–190
Mitigation, 191–194
Use, 151–159
- Wilson, A.K., Amphibian and Reptile Surveys in the Kaskaskia River Drainage of Illinois During 1997 and 1998, 203–205
- Winterstein, S.R., see Yauches, G.
- Wisconsin
Northwest, 182–186
Pine barrens, 182–186
- Wolcott, M., see Meteyer, C.U.
- World-Wide Web, 123–127
- Yauches, G., Herpetofaunal Abundance and Distribution in Northern Minnesota: Contributions of Ecological Land Units and Assessment of Sampling Methodology, 206–208
- Zaga-Parkhurst, A., see Little, E.E.