

1989

## Astronomy News

P. Steven Leiker

*University of Northern Iowa*

Thomas A. Hockey

*University of Northern Iowa*

Follow this and additional works at: <https://scholarworks.uni.edu/istj>



Part of the [Science and Mathematics Education Commons](#)

*Let us know how access to this document benefits you*

Copyright © Copyright 1989 by the Iowa Academy of Science

---

### Recommended Citation

Leiker, P. Steven and Hockey, Thomas A. (1989) "Astronomy News," *Iowa Science Teachers Journal*: Vol. 26: No. 2, Article 8.

Available at: <https://scholarworks.uni.edu/istj/vol26/iss2/8>

This Article is brought to you for free and open access by the IAS Journals & Newsletters at UNI ScholarWorks. It has been accepted for inclusion in Iowa Science Teachers Journal by an authorized editor of UNI ScholarWorks. For more information, please contact [scholarworks@uni.edu](mailto:scholarworks@uni.edu).

**Offensive Materials Statement:** Materials located in UNI ScholarWorks come from a broad range of sources and time periods. Some of these materials may contain offensive stereotypes, ideas, visuals, or language.

## Astronomy News

On September 30, 1989, astronomers from across the state gathered in Ames to attend the Iowa Astronomy Convention. Sponsored by state astronomy organizations, the convention brought together astronomy professionals, teachers and hobbyists for the first of what is intended to be an annual event.

Very likely, the audience best served by such a convention is the science-teaching community. Here is an opportunity to catch up on recent astronomical discoveries and research of particular interest to Iowans without traveling very far.

In one of several informative invited talks, Drs. Lee Anne Willson and George Bowen of Iowa State University discussed the so-called "Iowa State Heresy," a controversial new theory developed at ISU. The theory suggests that stars like the Sun undergo significant evolution earlier in their lifetimes than has previously been believed. Furthermore, this evolution would take place at a time before the current age of the solar system. If this is so, our Sun once looked and behaved very differently than it does today. This theory has implications for a variety of astronomical mysteries including the formation of the planet past.

The following list, taken from the recent directory of astronomy organizations published in *Sky and Telescope* magazine, contains the names and addresses of contact persons for astronomy clubs represented at the 1989 Iowa Astronomy Convention. These people are able to provide information pertaining to their club as well as to the 1990 convention, tentatively set in Des Moines.

### Ames Area Amateur Astronomers (hosts of the 1989 IAC)

Mr. David Oesper  
1208 Wilson Avenue  
Ames, Iowa 50010  
(515) 232-8705

Cedar Amateur Astronomers  
Mr. Doug McCloy  
Ambroz Art Center  
Mount Vernon Road  
Cedar Rapids, Iowa 52401  
(319) 485-3298

Des Moines Astronomical Society  
Mr. C.L. Allen  
2307 49th Street  
Des Moines, Iowa 50310  
(515) 274-1873

Quad Cities Astronomical  
Society  
Ms. Andrea Schneider  
P.O. Box 3706  
Davenport, Iowa 52808  
(319) 324-4661

Southeastern Iowa Astronomy  
Club  
Mr. James Blair  
610 Walnut  
Burlington, Iowa 52601  
(319) 753-2509

The authors also may be contacted for help in finding an astronomical organization in your area.

### **Astronomy Resources**

"The locus of points such that the sum of the distances between each point and two other fixed foci is constant." This definition of the ellipse, that figure from geometry so important to the understanding planetary and stellar orbits, may be familiar, yet it often remains confusing. We find that creating an ellipse in front of a class as we discuss its features helps to clarify this mathematical definition.

Two round kitchen magnets (usually sold in sets of two or more) can be attached to a metal blackboard. (For a nonmetallic board, small suction cups can be applied with glycerin.) These magnets form the foci of the ellipse. A string is draped over the two magnets and then pulled taut by placing a piece of chalk in the loop and pulling the string away from the magnets with the chalk. The ellipse is created by pushing down on the chalk against the board while at the same time moving the chalk around the taut string loop.

We point out to students that the distance around the now triangle-shaped loop is constant. Indeed, as the length between the two magnets also remains constant, only the segments between the chalk and the magnets change in length. As the ellipse progresses, sometimes the length between the chalk and the left magnet will be long and that between the chalk and the right magnet will be short and vice versa. However, as the total amount of string does not change, the sum of the two lengths leading from the chalk must remain constant.

The size of the ellipse can be changed by using different lengths of string. The eccentricity can be changed by altering the separation between the magnets. This demonstration works best for an ellipse with a fairly large-eccentricity where the distance between the magnets is more than one-third the entire length of the string.