Proceedings of the Iowa Academy of Science

Volume 77 | Annual Issue

Article 26

1970

A Physio-Chemical Analysis of the Headwaters of the Little Sioux River

Milbert H. Krohn Spirit Lake Community School

Let us know how access to this document benefits you

Copyright ©1970 lowa Academy of Science, Inc. Follow this and additional works at: https://scholarworks.uni.edu/pias

Recommended Citation

Krohn, Milbert H. (1970) "A Physio-Chemical Analysis of the Headwaters of the Little Sioux River," *Proceedings of the Iowa Academy of Science*, *77(1)*, 172-176. Available at: https://scholarworks.uni.edu/pias/vol77/iss1/26

This Research is brought to you for free and open access by the IAS Journals & Newsletters at UNI ScholarWorks. It has been accepted for inclusion in Proceedings of the Iowa Academy of Science by an authorized editor of UNI ScholarWorks. For more information, please contact scholarworks@uni.edu.

Offensive Materials Statement: Materials located in UNI ScholarWorks come from a broad range of sources and time periods. Some of these materials may contain offensive stereotypes, ideas, visuals, or language.

A Physio-Chemical Analysis of the Headwaters of the Little Sioux River

Milbert H. Krohn¹

Abstract. The magnitude and seasonal variation of 11 selected physiochemical characteristics at four collection sites in the headwater region of the Little Sioux River are reported for a 12-month perod from March 1969 through February 1970. Little variation was found between study sites for given sampling times.

For several decades the headwaters and adjacent terrestrial areas of the Little Sioux River have been th object of considerable scientific investigation. This study, by students in summer courses at the Iowa Lakeside Laboratory, has resulted in limited information through publication. However, at the present time a number of specific research projects are in progress which primarily concern the aquatic flora and fauna of this region (Bovbjerg, personal communication). Because of the interest in this region, particularly the current biological investigations, a record of the magnitude and annual variation of selected physio-chemical characteristics of the river in this region seemed desirable. The twelve month study which is reported here was initiated in March 1969.

MATERIALS AND METHODS

Four sampling sites were selected along approximately 40 kilometers of the upper reach of the Little Sioux River. The relative positions of these sampling sites are shown in Figure 1. The general criteria for site selection were to sample approximately equal stretches of the river and to concentrate on those areas of greatest interest to current biological investigators. This latter point was the reason for placing the two upper stations on the East, rather than West, Branch of the Little Sioux with Site 1 near its source in Minnesota and Site 2 near the bridge on Iowa Highway 9. The effect of the West Branch of the Little Sioux was monitored by establishing Site 3 below its confluence with the East Branch. The specific location of Site 3 was near the bridge on County Road A-22 in Section 21 of Lakeville Township in Dickinson County, Iowa. Site 4, also in Dickinson County, Iowa, was located in Section 14 of Okoboji Township. This site was just downstream from the confluence of Milford Creek with the Little Sioux River. This location was selected because Milford Creek, in addition to flowing through the city dump of Milford, Iowa receives the effluent discharge of the Iowa Great Lakes Sanitary District and also the washings from a sizable gravel pit.

1

¹ Spirit Lake Community School, Spirit Lake, Iowa 51360.



Figure 1. Headwater region of The Little Sioux River showing relative positions of collection sites.

Water samples from the four sites were collected on a monthly basis. The samples were analyzed for 10 chemical characteristics in the local high school science laboratory using a Hach Portable Engineer's Laboratory (Model DR-EL) and methods described by Hach. Temperature measurements were made at the collection sites.

RESULTS AND DISCUSSION

Examination of data (Table 1) indicates quite clearly that the limnology of this stretch of river changes with the seasons. However, with the exception of certain parameters at Site 4, there does not seem to be a great deal of variation from one station to another. Site 4, located below the confluence with Milford Creek does seem to reflect the effects of a waste discharge with higher phosphate

	Date 1969-70 Site	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	Jan.	Feb.	
Calcium Hardness	1 2 3 4	360 * 410 320	80 90 140 150	250 250 245 115	$300 \\ 280 \\ 270 \\ 240$	240 160 150 130	$250 \\ 140 \\ 200 \\ 110$	$190 \\ 150 \\ 180 \\ 140$	$245 \\ 260 \\ 230 \\ 220$	270 290 270 230	$100 \\ 300 \\ 190 \\ 240$	$260 \\ 330 \\ 340 \\ 250$	280 390 370 250	IOM
Magnesium Hardness	$ \frac{1}{2} 3 4 $	280 * 250 170	$ \begin{array}{r} 15 \\ 10 \\ 20 \\ 20 \\ 20 \end{array} $	140 130 125 105	230 170 185 210	$ \begin{array}{r} 110 \\ 90 \\ 60 \\ 60 \end{array} $	150 190 160 140	165 215 190 140	$145 \\ 220 \\ 150 \\ 110$	$200 \\ 210 \\ 160 \\ 160$	$250 \\ 200 \\ 210 \\ 150$	$220 \\ 20 \\ 80 \\ 140$	$150 \\ 170 \\ 100 \\ 130$	A ACADH
Total Hardness	$\frac{1}{2}\\\frac{3}{4}$	640 * 660 490	95 100 160 170	390 380 370 220	$530 \\ 450 \\ 455 \\ 450 \\ 450 \\ 450 \\ 100 $	$350 \\ 250 \\ 210 \\ 190$	400 330 360 250	360 365 390 280	390 480 380 330	470 500 430 390	360 500 400 390	480 350 420 390	430 560 470 380	EMIY OF
Alkalinity	1 2 3 4	350 * 370 280	90 80 110 130	200 210 200 180	230 250 260 240	$250 \\ 200 \\ 155 \\ 200$	$250 \\ 170 \\ 210 \\ 230$	$240 \\ 260 \\ 210 \\ 230$	$250 \\ 225 \\ 210 \\ 230$	310 265 210 240	$360 \\ 320 \\ 310 \\ 250$	$350 \\ 340 \\ 350 \\ 285$	$300 \\ 340 \\ 330 \\ 310$	SCIENCE
Chloride	1 2 3 4	25 * 35 25	15 10 20 15	20 25 15 20	25 25 30 20	15 15 20 10	20 15 20 15	20 15 25 20	15 15 25 25	15 20 25 30	40 20 20 20	$25 \\ 15 \\ 30 \\ 25$	10 10 15 25	
Sulfate	$\begin{array}{c}1\\2\\3\\4\end{array}$	200 * 350 260	30 30 70 55	$275 \\ 240 \\ 245 \\ 50$	350 310 340 300	130 110 120 30	$190 \\ 250 \\ 200 \\ 40$	250 300 280 215	175 300 290 175	230 260 250 180	260 250 340 190	255 270 350 150	150 350 350 160	[Vol. 77

10

Table 1. Results of the physio-chemical analyses of the headwaters of the Little Sioux River. (Temperature=°C.; *=river frozen entirely to bottom; Others=ppm.)

Published by UNI ScholarWorks, 1970 10

13

174

Proceedings of the Iowa Academy of Science, Vol. 77 [1970], No. 1, Art. 26

1970]

.

175

	Date 1969-70 Site	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.	Jan.	Feb.
Ortho- Phosphate	$\begin{array}{c}1\\2\\3\\4\end{array}$	0.6 * 1.4 3.0	$0.7 \\ 0.8 \\ 3.6 \\ 1.1$	0 0.1 0.1 0.8	$0.2 \\ 0.3 \\ 0.1 \\ 0.5$	$0.4 \\ 1.0 \\ 1.1 \\ 1.2$	$0.6 \\ 0.2 \\ 0.5 \\ 1.2$	$0.1 \\ 0.2 \\ 0.1 \\ 1.7$	$0.4 \\ 0.3 \\ 0.1 \\ 2.0$	$0.6 \\ 0.3 \\ 0.2 \\ 2.3$	$1.3 \\ 0.2 \\ 3.0 \\ 3.6$	$0.8 \\ 0.1 \\ 0.2 \\ 0.2$	$0.4 \\ 0.2 \\ 0.2 \\ 4.0$
Nitrate- Nitrogen	$ \frac{1}{2} 3 4 $	18.0 * 40.0 26.0	$3.0 \\ 3.5 \\ 20.1 \\ 36.0$	$4.0 \\ 1.9 \\ 5.0 \\ 3.5$	$1.3 \\ 1.1 \\ 1.2 \\ 5.0$	$8.0 \\ 5.0 \\ 5.0 \\ 6.0$	$4.0 \\ 6.0 \\ 6.0 \\ 8.0$	6.0 7.0 7.0 9.5	8.0 8.5 9.0 9.0	6.5 5.0 8.5 7.5	8.0 5.5 5.8 7.0	$8.0 \\ 5.0 \\ 12.0 \\ 6.0$	$7.0 \\ 6.0 \\ 0.7 \\ 0.4$
Silica	$ \begin{array}{c} 1 \\ 2 \\ 3 \\ 4 \end{array} $	4.2 * 3.3 4.2	4.9 4.8 5.6 5.2	$0.2 \\ 0.2 \\ 0.9 \\ 3.2$	5.6 4.8 7.2 8.4	11.8 5.0 7.4 10.8	$10.2 \\ 5.3 \\ 7.9 \\ 14.2$	3.4 4.9 2.9 5.8	5.4 5.6 6.4 7.2	4.3 4.7 3.5 5.8	$6.2 \\ 4.7 \\ 7.2 \\ 6.1$	$4.1 \\ 4.4 \\ 6.2 \\ 6.3$	$12.6 \\ 11.6 \\ 8.7 \\ 8.8$
pH	1 2 3 4	7.1 * 7.6 7.5	7.4 7.2 7.5 7.6	9.3 9.1 9.0 9.2	8.5 7.5 8.3 8.5	8.1 8.4 8.1 8.0	8.5 8.5 8.3 8.3	7.7 7.0 7.2 7.6	8.3 8.2 7.6 7.4	8.5 7.8 7.9 8.4	7.5 7.2 7.1 7.2	$7.1 \\ 6.6 \\ 7.2 \\ 8.6$	7.0 7.2 7.1 7.1
Temperatu	1 re 2 3 4	0 * 2.2 3.9	11.7 11.7 11.7 16.1	16.1 16.1 15.0 20.0	19.4 18.8 20.0 21.1	22.8 22.8 22.8 20.0	$25.0 \\ 26.1 \\ 22.8 \\ 18.3$	$20.0 \\ 22.2 \\ 22.2 \\ 16.6 \\$	8.3 8.3 7.2 7.8	2.8 2.8 4.4 2.8	$\begin{array}{c} 0\\ 0\\ 0\\ 3.3 \end{array}$	$\begin{array}{c} 0\\ 0\\ 0\\ 1.1 \end{array}$	0 0 1.1

*

۵

Table 1. (Continued)

176

IOWA ACADEMY OF SCIENCE

[Vol. 77

levels, periodically elevated levels of nitrate and the fact that this station did not freeze during the winter. The Little Sioux River had a higher calcium hardness than magnesium hardness while other investigators (Bachmann, 1965; Cooke, 1966) have found that water in near-by Lake West Okoboji had a higher magnesium to calcium hardness ratio.

Stream flows in the upper Basin of the Little Sioux River were much higher than usual during the period of study (U.S.G.S., in press). This was particularly true for the months of April and July 1969 when the Little Sioux River was greatly swollen by heavy rainfalls. The diluting effects of the increased run-off during these periods are readily indicated by the lower ionic concentrations for these months. It is planned that this study will be continued to provide comparative data for periods of lower flows.

Acknowledgements

I wish to thank Dr. Richard V. Bovbjerg whose suggestion and encouragement led to this study. I also wish to express my appreciation to Dr. W. Randall Shobe for his criticism and aid in preparing this manuscript.

Literature Cited

BACHMANN, ROGER W. 1965. Iowa Acad. Sci. Proc. 72:237-243.

COOKE, G. DENNIS. 1966. Iowa Acad. Sci. Proc. 73: 374-383.

UNITED STATE GEOLOGICAL SURVEY. In press. Water resources data for Iowa, 1969.