

1962

## Spiders of Dubuque County

Gerald W. Kaufmann  
*Loras College*

Copyright ©1962 Iowa Academy of Science, Inc.

Follow this and additional works at: <https://scholarworks.uni.edu/pias>

---

### Recommended Citation

Kaufmann, Gerald W. (1962) "Spiders of Dubuque County," *Proceedings of the Iowa Academy of Science*, 69(1), 539-541.

Available at: <https://scholarworks.uni.edu/pias/vol69/iss1/84>

This Research is brought to you for free and open access by the Iowa Academy of Science at UNI ScholarWorks. It has been accepted for inclusion in Proceedings of the Iowa Academy of Science by an authorized editor of UNI ScholarWorks. For more information, please contact [scholarworks@uni.edu](mailto:scholarworks@uni.edu).

INa is a nest which probably originated by swarming from IN, but note that the percentage of hairless workers (75%) is quite different from that in the parent colony IN (42%). The mixed colonies are undoubtedly polygynous, with females of both species present but this explanation is hardly adequate.

Trials have shown that alate *Formica fossiceps* females are not rejected by small aggregations of *Formica obscuriventris clivia* workers, and vice versa. Small groups of workers of the two species from different colonies will also work out a peaceful *modus vivendi*.

#### Literature Cited

1. King, R. L. 1949. Proc. Iowa Acad. Sci. 56: 367-370.
2. King, R. L. and R. M. Sallee. 1951. Proc. Iowa Acad. Sci. 58: 487-489.
3. King, R. L. and R. M. Sallee. 1952. Proc. Iowa Acad. Sci. 59: 469-474.
4. King, R. L. 1955. Proc. Iowa Acad. Sci. 62: 509-513.
5. King, R. L. and R. M. Sallee. 1957. Proc. Iowa Acad. Sci. 64: 667-669.
6. King, R. L. and R. M. Sallee. 1959. Proc. Iowa Acad. Sci. 66: 472-473.
7. King, R. L. and F. Walters. 1950. Proc. Iowa Acad. Sci. 57: 469-473.
8. Gosswald, K. and K. Bier. 1954. Insectes Sociaux 1: 229-246.

## Spiders of Dubuque County

GERALD W. KAUFMANN<sup>1</sup>

*Abstract.* A collection of spiders, taken from Dubuque County and neighboring counties in 1961, consisted of representatives of 13 families and 54 species.

Between the years 1938 and 1944 a systematic collection of Iowa spiders was inaugurated by Karl Stiles and students at Coe College. In the interval between 1944 and the present, no published reports have been given on the distribution or taxonomy of Iowa spiders. Since the work of Stiles and his students was obviously incomplete, the author thought it worthwhile to add to this beginning in the classification and distribution of Iowa spiders.

#### METHODS AND MATERIALS

The spiders were caught during the spring, summer, and fall of 1961 in Dubuque and its neighboring counties. Most were caught by hand, since this afforded an opportunity for observation of the type of web, which was an aid in the classification of the spider. A sweep net was used to cover wide areas or inaccessible habitats as nettles or thistles. This usually obtained a

<sup>1</sup> Department of Biology, Loras College, Dubuque, Iowa.

large numbers of specimens. The spiders were then killed and preserved in alcohol.

Classification of specimens was based primarily upon *The Spider Book* by J. H. Comstock (1948), with B. J. Kaston's *How to Know the Spiders* (1953) used as a supplement. A list of Wisconsin spiders by Herbert Levi and Howard Field (1954) and a list of Nebraska spiders by Leonard Worly and Gayle Pickwell (1927) were used as cross references to narrow down the possibilities. These lists included a total of 395 species. The ranges of those found in both states could reasonably be expected to extend through Iowa.

Records were kept on each specimen; the ecological habitat, location, date of capture, and sex of each spider recorded. Slightly over 200 spiders were classified, representing 54 different species and 13 families.

### CLASSIFICATION

The following list added 18 new species not found by Stiles.

Family PHOLCIDAE

*Pholcus phalangioides*  
*Spermaphora meridionalis*

Family AMAUROFIDAE

*Amaurobitis bennetti*

Family DICTYINIDAE

*Dictyna annulipes*

Family THERIDIIDAE

*Teutana triangulosa*  
*Steatoda borealis*  
*Theridion tepidariorum*  
*Theridion frondeum*  
*Theridion studiosum*

Family ARGIOPIDAE

*Tetragnatha elongata*  
*Tetragnatha extensa*  
*Tetragnatha laboriosa*  
*Tetragnatha veriformis*  
*Nephila clavipes*  
*Argiope aurantia*  
*Argiope trifasciata*  
*Aranea gigas*  
*Aranea trifolium*  
*Aranea frondosa*  
*Neoscona arabesca*  
*Micrathena sagittata*  
*Micrathena gracilis*  
*Micrathena reduviana*  
*Leucauge venusta*

Family AGELENIDAE

*Agelenopsis naevia*  
*Agelenopsis pennsylvanica*  
*Coras medicinalis*

Family PISAURIDAE

*Dolomedes tenebrosus*  
*Pisaurina mira*

Family LYCOSIDAE

*Lycosa helluo*  
*Lycosa frondicola*  
*Lycosa aspersa*  
*Lycosa pratensis*  
*Lycosa punctulata*  
*Schizocosa crassipes*  
*Pardosa destinata*

Family GNAPHIDAE

*Gnaphosa* (juv.)  
*Sosticus continentalis*

Family LINYPHIIDAE

*Linyphia marginata*

Family CLUBIONIDAE

*Ayscha* (juv.)

Family THOMISIDAE

*Misumenops asperatus*  
*Misumenops aleatorius*  
*Philodromus permix*  
*Ebo latithorax*  
*Xysticus transversatus*  
*Xysticus triguttatus*  
*Xysticus elegans*  
*Xysticus funestus*

Family ATTIDAE

*Salticus scenicus*  
*Marpissa undata*  
*Wala mirata*  
*Phidippus audax*  
*Dendryphantès marginatus*  
*Muevia vittata*

The spiders in this collection are deposited in the permanent spider collection at Loras College, Dubuque. It is hoped that further collection will be done by others to the still quite incomplete list of Iowa spiders.

## ACKNOWLEDGEMENTS

The author is indebted to Professor Emmett Polder for assistance in this research and to Doctor Herbert Levi for examination and verification of specimens. Space prohibits expression of appreciation to several relatives and fellow students who donated their time and services in gathering specimens for this collection.

## Literature Cited

- Comstock, J. H. 1948. The Spider Book. Comstock Publishing Co., Ithaca, N. Y.  
 Kaston, B. J. 1953. How to Know the Spiders. Wm. C. Brown Co., Dubuque, Iowa.  
 Levi, H. W., and Field, H. 1954. Am. Midland Naturalist 51:444-467.  
 Stiles, K. 1938. Proc. Iowa Acad. Sci. 45:285-207.  
 Stiles, K. 1940. Proc. Iowa Acad. Sci. 47:333-342.  
 Stiles, K. 1944. Proc. Iowa Acad. Sci. 54:473-484.  
 Worly, L., and Pickwell, G. 1927. Univ. of Nebr. Studies 27:1-129.

## An Analysis of Mite Populations in Muskrat Houses<sup>1</sup>

ROBERT A. BUCKLEY<sup>2</sup> AND ELLIS A. HICKS<sup>3</sup>

*Abstract.* During the summers of 1960 and 1961, samples of material from muskrat houses in Goose Lake, Hamilton County, Iowa, were analyzed for their acarine content to obtain information on the factors influencing the composition of mite populations. Representatives of 18 different families or groups were obtained. Their ecology is discussed from the following relationships: (1) immediately available flora and composition of muskrat houses, (2) size of houses and occurrence of mites, (3) utility of houses and occurrence of mites, (4) sampling area of houses and occurrence of mites, and (5) the mite populations themselves.

## INTRODUCTION

Houses for the muskrat, *Ondatra zibethicus* (L.), afford opportunities for studying an interesting complex of mite populations. The profuse organic material, both of plant and animal origins and in varying degrees of decay and wetness, constitutes an abundant food supply for detritus feeders. These are utilized by predaceous mites, some of which, in turn, are preyed upon by other mites.

The area chosen for study was Goose Lake, located one-half mile east of Jewell, Iowa, in Hamilton County. This lake, private-

<sup>1</sup> This study was supported in part by the National Science Foundation in its 1960 and 1961 Summer Institutes for Research Participation for Teacher Training.

<sup>2</sup> Biology Instructor, Lincoln High School, Webster City, Iowa.

<sup>3</sup> Department of Zoology and Entomology, Iowa State University, Ames, Iowa.