

1941

A Method of Mounting Diglycol Stearate Sections upon Slides (Abstract)

Karl A. Stiles

Coe College

Kenneth Heck

Coe College

Copyright © Copyright 1941 by the Iowa Academy of Science, Inc.

Follow this and additional works at: <https://scholarworks.uni.edu/pias>

Recommended Citation

Stiles, Karl A. and Heck, Kenneth (1941) "A Method of Mounting Diglycol Stearate Sections upon Slides (Abstract)," *Proceedings of the Iowa Academy of Science*: Vol. 48: No. 1 , Article 126.

Available at: <https://scholarworks.uni.edu/pias/vol48/iss1/126>

This Research is brought to you for free and open access by UNI ScholarWorks. It has been accepted for inclusion in Proceedings of the Iowa Academy of Science by an authorized editor of UNI ScholarWorks. For more information, please contact scholarworks@uni.edu.

A METHOD OF MOUNTING DIGLYCOL STEARATE SECTIONS UPON SLIDES

(ABSTRACT)

KARL A. STILES AND KENNETH HECK

In the technique reported by Stiles and Eastwood (Iowa Acad. Sci. Proc. 1940) difficulty was encountered in floating Diglycol Stearate sections upon glass slides. The usual water albumen method of affixing ribbons upon slides could not be used satisfactorily for two reasons: first, because Diglycol is soluble in water, thus causing the ribbon to disintegrate before the tissue is permanently affixed to the slide and secondly because the surface tension of water causes a spreading effect of the ribbon. The difficulties of affixing the tissue to the slide when it is Diglycol embedded constituted a serious weakness in this technique. This investigation was undertaken in an attempt to find a floating agent which would not dissolve Diglycol ribbons in any appreciable amount.

The use of calcium chloride as a floating agent was suggested by C. E. Moritz. Its solubility was tested in the usual manner, and it was found that Diglycol was not dissolved by it.

COE COLLEGE,
CEDAR RAPIDS, IOWA.

A PROGRESS REPORT ON A METHOD FOR HISTOLOGICAL PREPARATIONS ELIMINATING FAT SOLVENTS

(ABSTRACT)

KARL A. STILES AND JEAN PETERSON

Of all the water-soluble waxes, Diglycol Stearate seems to be the most promising as an embedding medium for the purposes of this investigation; therefore experimentation on its usefulness has been extensive. It is a soap-like, white solid, having a waxy consistency suitable for sectioning with a rotary microtome. Diglycol Stearate as an embedding medium has several advantages over the usual paraffin technique. One of great possible importance is that preliminary dehydration and clearing of tissue can be eliminated, which may make possible the preservation of the phospholipoids of the cell membrane. The tissue may be removed in alcoholic