### Proceedings of the Iowa Academy of Science

Volume 43 | Annual Issue

Article 73

1936

# Comparative Progressive Metamorphism of Igneous and Sedimentary Rocks

R. C. Spivey State University of Iowa

Let us know how access to this document benefits you

Copyright ©1936 Iowa Academy of Science, Inc.

Follow this and additional works at: https://scholarworks.uni.edu/pias

#### **Recommended Citation**

Spivey, R. C. (1936) "Comparative Progressive Metamorphism of Igneous and Sedimentary Rocks," *Proceedings of the Iowa Academy of Science, 43(1),* 253-253.

Available at: https://scholarworks.uni.edu/pias/vol43/iss1/73

This Research is brought to you for free and open access by the IAS Journals & Newsletters at UNI ScholarWorks. It has been accepted for inclusion in Proceedings of the Iowa Academy of Science by an authorized editor of UNI ScholarWorks. For more information, please contact scholarworks@uni.edu.

Offensive Materials Statement: Materials located in UNI ScholarWorks come from a broad range of sources and time periods. Some of these materials may contain offensive stereotypes, ideas, visuals, or language.

1936] ABSTRACTS 253

The river valley is pre-Kansan. In estimating the time it took to cut the valley and its ravines, one must recognize that the factors of climate, heat, cold, rain, snowfall, and sunshine must be considered. Weather conditions such as we have had in the past three years undoubtedly erode rock and soil much faster than the weather we had for a long period before it.

WINTERSET, IOWA.

## COMPARATIVE PROGRESSIVE METAMORPHISM OF IGNEOUS AND SEDIMENTARY ROCKS

#### R. C. SPIVEY

Metamorphic rocks are frequently arranged in zones around igneous intrusions, and each of these zones has certain characteristic minerals by which it can be recognized. Zones of low-grade metamorphism, garnet, kyanite and sillimanite are frequently discernible, and these zones are remarkably similar in different regions, even though the original rocks may have been quite diverse. This similarity in the rocks formed by the metamorphism of igneous and sedimentary rocks suggests that many rocks assumed to be meta-igneous may really be meta-sedimentary in origin.

STATE UNIVERSITY OF IOWA, IOWA CITY, IOWA.